




City of Bessemer, Alabama

1700 Third Avenue North • Bessemer, Alabama 35020

Municipal Separate Storm Sewer System (MS4) Annual Report

January 31, 2023



Report Prepared By:

City of Bessemer

1700 3rd Avenue North
Bessemer, Alabama 35020
205.424-4060

Contents

1. General Information	1-1
1.1. Signatory Requirements	1-1
1.2. List of Contacts	1-2
1.3. General Introduction	1-3
1.4. Overview and Summary	1-4
2. Program Evaluation	2-1
2.1. Program Objective	2-1
2.2. Major Accomplishments.....	2-2
2.3. Program Strengths and Weaknesses.....	2-3
2.4.1. Program Strengths.....	2-3
2.4.2. Program Weaknesses.....	2-4
2.4. Program Goals.....	2-6
3. Stormwater Management Plan Activities	3-1
3.1. Monitoring and Screening	3-1
3.2. Areas of New Development and Significant Redevelopment	3-1
3.3. Roadway Maintenance	3-2
3.4. Flood Control Projects	3-3
3.5. Pesticides, Herbicides, and Fertilizers.....	3-3
3.6. Illicit Discharge Program.....	3-3
3.7. Spill Prevention and Response	3-4
3.8. Industrial and High Risk Runoff Program	3-5
3.9. Construction Storm Water Program.....	3-6
3.10. Public Education.....	3-7
3.10.1. Clean Up Events	3-7
3.10.2. Stormwater Website	3-7
4. Fiscal Analysis	4-1
4.1. Fiscal Analysis.....	4-1
4.1.1. Past Fiscal Year	4-1



5. Program Summary Table	5-1
---------------------------------	------------

Tables

Table 2-2. EPA Approved TMDLs in the City of Bessemer	2-2
Table 3-2. Spill Responses During the Permit Year	3-5

Appendices

- A. Alabama 303(d) Listed Streams
- B. Weed Maintenance & Storm Sewer Maintenance
- C. Public Education
- D. Storm Water Statistics for 2013-2014
- E. PHF Fertilizer Facility and Environmental Sensitive Area Landscape Maps
- F. Landfill Permits
- G. City Owned Facilities
- H. Inspection Permits
- I. Spill Response Information
- J. Training
- K. List of Personnel for the City’s Stormwater Program
- L. Public Involvement
- M. Outfalls Reconnaissance Inventory
- N. Stream Monitoring Results
- O. Detention Pond Inspections
- P. Website Maintenance




1. General Information

1.1. Signatory Requirements

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Honorable Kenneth Gulley, Mayor
Name and Title


Signature


Date

Address: 1700 Third Avenue North
Bessemer, Alabama 35020
Phone: (205) 424 - 4060



1.2. List of Contacts

Permit number ALS000022 states the permittee shall “provide a list of contacts and responsible parties (e.g. agency, name, phone number)” who had input to and are responsible for the preparation of the annual report. Therefore, as required by the NPDES permit, the City of Bessemer, Alabama is submitting its storm water management program contact list. Listed below is Mr. Tom Harmon, Director of Building and Inspections Department; Ron Gilbert, the City of Bessemer’s Engineer; and Freddie Freeman, the City of Bessemer’s MS4 Specialist. Any questions concerning Bessemer’s Municipal Separate Storm Sewage System (MS4) FY2022 Annual Report should be directed to the below mentioned persons.

Contact Persons:

Name	Address	Telephone	E-Mail
Tom Harmon Buildings	Bessemer Building and Insp. 1804 Third Avenue North Bessemer, AL 35020	205.424.4060 Ext. 225	tharmon@bessemeral.org
Ron Gilbert EEFS Eng.	E.E.F.S. Company, P.C. 1809 2 nd Avenue North Bessemer, AL 35021	205.424.3737	rrgilbert@eefs-eng.com
Freddie Freeman Stormwater Mgm.	Bessemer Stormwater Mgt. 1804 Third Avenue North Bessemer, AL 35020	205.424.4060 Ext. 275	ffreeman@bessemeral.org
Lawrence Hatter DPW	Bessemer Public Works 1205 15 th Avenue North Bessemer, AL 35020	205.424.4084	improvements@bessemeral.org
Randall McFarland Bessemer Fire Depart.	Bessemer Fire Department 1111 2 nd Avenue North Bessemer, AL 35020	205.425.4331	firechief@bessemeral.org



1.3. General Introduction

This report is prepared in compliance with the requirements of the National Pollutant Discharge Elimination System (NPDES) Phase I permit (the Permit). The City of Bessemer (City) has maintained compliance with the Permit requirements in the reporting period of January 1st to December 31, 2022 (reporting period). The Alabama Department of Environmental Management (ADEM) presently has primary jurisdiction over permitting and enforcement of the Stormwater Program for Alabama. ADEM issued NPDES Permit Number ALS000022 for “Municipal Separate Storm Sewer System Discharges” which became effective on December 1, 2017 under which the City of Bessemer, Alabama (City) presently operates.

As a condition of this permit, “The permittee is required to develop, revise, implement, maintain and enforce a storm water management program (SWMP) which shall include controls necessary to reduce the discharge of pollutants from its MS4 consistent with Section 402(p)(3)(B) of the Clean Water Act and 40 CFR Part 122.26. These requirements shall be met by the development and implementation of a storm water management program plan (SWMPP) which addresses the best management practices (BMPs), control techniques and systems, design and engineering methods, public participation and education, monitoring, and other appropriate provisions designed to reduce the discharge of pollutants from the MS4 to the Maximum Extent Practicable (MEP).

Per the requirements of NPDES Permit No. ALS000022, BMP’s, measurable goals, responsibility designations are provided for each of the following program elements:

- Storm Water Collection System Operations
- Public Education and Public Involvement on Storm Water Impacts
- Illicit Discharge Detection and Elimination
- Construction Site Storm Water Runoff Control
- Post-Construction Storm Water Management in New Development and Re-Development
- Spill Prevention and Response
- Pollution prevention/Good Housekeeping for Municipal Operations
- Application of Pesticide, Herbicide, and Fertilizers



- Oils, Toxics, and Household Hazardous Waste Control
- Industrial Storm Water Runoff

This annual report summarizes the City's efforts for the reporting period January 1, 2022 through December 31, 2022 to comply with the above listed ten program elements.

1.4. Overview and Summary

The City of Bessemer's Storm Water Management Program is a MS4 specific comprehensive program and as such assumes the following responsibilities:

- Reduce discharge of pollutants from the MS4 to the maximum extent practical (MEP).
- Monitor all storm water structural controls within the City limits.
- Develop, implement, and enforce controls to minimize pollutants from construction activities.
- Develop, implement, and enforce controls to minimize pollutants from post-construction activities.
- Monitor the storm water runoff from the public streets, roads, bridges, and highways.
- Monitor any flood management projects and assess impacts on water quality.
- Reduce discharges of pollutants from pesticides, herbicides, and fertilizers applications.
- Detect and remove illicit discharges and improper disposal from the storm sewer.
- Prevent, contain, and respond to spills that may discharge into the MS4.
- Monitor and control pollutants in storm water discharges from industrial and high risk facilities (such as municipal landfills, hazardous waste treatment, and sewage treatment, storage, disposal and recovery facilities subject to Superfund Reauthorization Act (SARA) Title III, Section 313).
- Implement a public education program regarding storm water management program, recycling programs, household hazardous waste and proper disposal.
- Monitor the quality of receiving waters for quality
- Modify the Stormwater Management Program as necessary to improve and to meet the MS4 NPDES Permit requirements.

Our goal during this period of the administrative extension of the permit was to maintain compliance with the existing permit. To meet our permit requirement, a storm water management plan (SWMP) was developed which outlines sampling and other programs. Additional information regarding these programs is summarized below.



2. Program Evaluation

2.1. Program Objective

The objective of Bessemer's Storm Water Management Program is to comply with the requirements of the Alabama Department of Environmental Management (ADEM) NPDES Permit #ALS000022 and to promote water quality through public awareness and involvement. A detailed report of the methods to achieve permit compliance is provided on the following pages. This report is structured according to the reporting requirements set forth in NPDES Permit #ALS000022 effective December 1, 2017.

Stormwater runoff from the City of Bessemer discharges into two primary receiving streams that include the following:

- Shades Creek
- Valley Creek

According to the 2022 303(d) list of ADEM, streams within, or flowing through, the City of Bessemer none have been designated as impaired by not fully meeting their usage classification. This is a determination reached by ADEM in a federally required evaluation of the status of water bodies within the state. The evaluation is conducted from best available data and a determination of the water's ability to support its designated use classification. This was the case for the all monitoring locations which includes two locations along each creek.

2.2. Major Accomplishments

- Continued to implement SWMP which includes detailed plans on how the City will manage its MS4 Program and comply with the new permit, ALS000022.
- Continued locating and mapping of the MS4 storm drains and detention pond locations which are available for public viewing on the City Website Interactive Maps page.
- Continued to acknowledge environmental sensitive "no spray" and "restricted spray areas and storage areas for the Pesticides, Herbicide, and Fertilizer (PHF) program. See Appendix E.
- Continued review of documentation for the PHF Program (i.e. chemical inventory, neighborhood mowing routes, Weed Maintenance & Storm Sewer Maintenance, material safety data sheets (MSDS), and Landscaping Chemical Applicators Certification). See Appendix B.



- Sediment and Erosion Control Inspections – Enforced sediment and erosion control ordinance and conducted inspections at construction sites within the City of Bessemer.
- Public Education / Involvement Events (Appendix C & L) :
 - Held Annual Valley Creek Cleanup.
 - Held quarterly Lunch & Learn Series at the Bessemer Public Library.
 - Held Household Hazardous Waste Collection Day
 - Held Annual High School Student “Litter Quitters” video competition.
- Public Education/Information Online
 - Updated and maintained stormwater website for the City of Bessemer which contains educational information, basic MS4 information, and contact information at <http://www.bessemeral.org>. See Appendix P.
- Public Education Materials:
 - Informational pamphlets made available to the public online and available at City Hall about stormwater pollution and prevention.
- Outfall reconnaissance inventory performed. See Appendix M.

2.3. Program Strengths and Weaknesses

2.3.1. Program Strengths

The biggest program strength is that the City of Bessemer has moved forward with developing, managing and implementing their SWMP. City staff is actively involved in the development, management and daily implementation of BMPs that will protect and help improve stormwater quality. This also allows the City’s SWMP to be a very dynamic program with the ability to evolve as necessary to meet the specific needs of the City. Advantages of the City’s SWMP include but are not limited to the following:

- City leadership actively supports the stormwater program.
- City leadership can develop policy and initiatives that are in the best interest of the City and its citizens.
- The City has a vested interest in the success of their SWMP.
- City staff has a better understanding and knowledge base of the facilities, infrastructure, and activities that are occurring within the City. This allows City staff to proactively address potential problems before they arise.
- Currently the City has a program to clean inlets and pipes on an as-needed basis which includes information from citizen complaints and known areas that need frequent maintenance by the Department of Public Works.

- The City has established environmental sensitive “no spray” and “restricted” areas and a storage area for the Pesticides, Herbicides, and Fertilizer (PHF) Program. See Appendix E.
- The City follows all the manufacturers’ instruction and guidelines for chemical applications in the PHF Program. See Appendix E.
- The City has produced maps for mowing Routes, PFH application, and street sweeping routes. See Appendix B.
- The City has drafted a protocol to perform illicit discharge detection and elimination and wet outfall inspections in the MS4.
- The City has its own (Construction) permitting program which requires site plan reviews on all sites. See Appendix H.
- City Staff are involved daily with the implementation of the SWMP.
- The City has existing programs that are used to minimize and/or eliminate the potential for discharging pollutants in stormwater runoff. Some of these programs have been operating for many years.

2.3.2. Program Weaknesses

The list below notes items that the City will continue to work on in the development of its overall storm water management program.

- **Structural Controls and Stormwater Collection System** – The City has developed standard operating procedures (SOPs) for inspection and maintenance ensuring that all controls and outfalls are inspected once each permit cycle; enhance the program to address privately-owned structural controls; establish authority for requiring maintenance and repair; locate all open channels and outfalls and enter their locations into a GIS database.
- **Mapping** – The City continues its mapping project to complete an inventory of the entire system, including publicly-owned storm sewer pipes 12” and larger; all outfalls; and structural and nonstructural stormwater controls, including retention ponds, detention basins, catch basins, culvert inlets, and open channels.
- **Industrial and High Risk Runoff** – An industrial Program, managed by the Fire Department, addresses industrial, commercial and municipal facilities which have the potential to contribute substantial pollutant loads to the MS4. The City will continue to review its current ordinances and determine whether or not modifications need to be drafted and adopted to the extent necessary to allow for regulation of industrial facilities.

2.4. Program Goals

- The City will continue to identify and train its staff to perform different activities listed under the City’s SWMP.

- Ultimate goal of the City SWMP is to improve and maintain receiving water quality to support their beneficial uses.



3. Stormwater Management Plan Activities

3.1. Monitoring and Screening

Sampling was performed by the City for the calendar year of 2022.

As required by the Permit, the City of Bessemer has operated all its separate storm sewer systems and also all of its storm water structural controls in a manner to reduce the discharges of pollutants to maximum extent practicable. The City has repaired or reset 950 catch basin lids during the permit year, and will continue its routine maintenance program and as well following-up with the citizens' complainants for maintenance. The City cleaned 3,200 storm drains during the permit year. The City routinely inspects four detention ponds at City Landfills. As part of City's storm sewer maintenance program, the City flushed 2,000 feet of storm water drains.

3.2. Areas of New Development and Significant Redevelopment

The City post-construction stormwater management program focus on implementation of controls and practices to maintain good water quality conditions after an area has been developed and after construction activities have been completed. This minimum control measure will include: requiring, through local ordinance, all operators of construction activities that disturb one acre or more to develop and implement structural and/or non-structural BMP's based on the local site conditions and that minimize water quality impacts; development of procedures to inspect post-construction runoff from new development and redevelopment projects; and, development of a mechanism to ensure the long-term operation and maintenance of the BMP.

Additionally, as part of the public education program, the City is currently partnering with Jefferson County, the Jefferson County Department of Health, and the City of Birmingham to facilitate and host workshops for developers in the area on construction erosion and sedimentation control (Appendix C).

3.3. Roadway Maintenance

The City understands that the maintenance of public streets, roads, and highways that are in or pass through the City will help in reducing pollutant loads to its MS4 systems, especially street sweeping which helps in reducing most organic and inorganic pollutants that are expected to attach to solids and floatable that are generally seen on the roadside.



The City operates a mechanical street sweeper on assigned routes Monday through Friday and also on emergencies as needed. The City's street sweeping routes and schedule during the permit year are listed below. (City Statistics are shown in Appendix D)

Week1:

North Side Area: 22nd St to 30th St between 5th Ave to 12th Ave N
Braswell Homes: 35th St to 34th St between 5th Ave & 8th Ave N
Downtown Area: 14th St to 20th St between 9th Ave to 1st Ave N

Week 2:

Southside Area: 14th St to 22nd St between Carolina Avenue & Holbrook Avenue & Exeter Ct
Dartmouth Ave from 14th St to City limits
Southside Homes: 24th St to 27th St between Carolina Terr & Exeter Ave
Davis Heights: 26th St to 22nd St between Fairfax Avenue & Holbrook Terr
Asbury Howard: 22nd St, Hamby St, Bynum St, McKinnon Ct, & Deramus Ct
Exeter Ave from 30th St to 34th St
Sloss Village, Brickyard Hill: 32nd St to 29th St between Arlington Ave & Berkley Ave
Hillside Homes/Cobb Gardens: Mitchell Blvd, Clarendon Ave, Soles Ct, Blackberry Ct, Schelleci, Downtown Area

Week 3:

Muscoda Hill Ave G, H, I, and J
Cloverdale: Hall Ave to Fairfax Ave between 9th St & 12 St.
Longbrook Estates: Longbrook Terr, Morning Dr, & Longbrook Dr
Jonesboro Area: 9th Ave to Deadrick St between Fairfax Ave to Alabama Ave, Bryant St, Bell St, Kyser St, Center St
1st St from 4th Ave to Owens Ave, 9th to 5th St between 6th Ave & 8th Ave
Kate Walter Homes: 12th St to 10th St between 5th Ave to 7th Ave, 3rd Ave to 1st Ave from 14th St to 11th St
Downtown Area

Week 4:

Magnolia St, Prince Cedar Hill Rd
Westlake Area
Skyview Estates Area
Lakewood Area
Hillside Drive
Thomas Acres Area
Woodland Hills Area
Memorial Drive
Westwood Drive



Carriage Hills
Downtown Area

3.4. Flood Control Projects

The Army of Corps of Engineers completed a flood study for Valley Creek and the project has been approved to move to the design phase. We are currently working to secure Federal and Non-Federal funding. All municipalities within the Valley Creek watershed participated in the study with the City of Bessemer being the lead sponsor of this project.

3.5. Pesticides, Herbicides, and Fertilizers

During the course of the permit year, the City has tracked the inventory of the pesticides, fertilizers and herbicides stored for application. To bring awareness to citizens, the City has educated on limited and environmentally friendly pesticides, fertilizers and herbicides applications in lawns, for example the City has updated its stormwater website with useful lawn care information. The City has many different training activities for its employees that help protect water quality.

The City has established environmental sensitive “no spray” areas and a storage area for the PHF Program. Appendix E includes the map illustrating the “no spray” as well as “restricted spray” (environmentally sensitive) areas. Also, a map of the Bessemer Herbicide and Fertilizer Facility is provided in Appendix E. All chemicals used in the PHF Program are stored at the facility.

The City follows the all manufacturers’ instruction and guidelines for chemical applications in the PHF Program.

3.6. Illicit Discharge Program

The City has conducted dry weather monitoring at four sampling locations along its receiving waters and details of this monitoring are presented in the earlier sections of this report. One of the main objectives of this monitoring program was to detect any possible illicit discharges into City’s MS4 systems and receiving waters.

The City has developed an outfall inspection protocol to check the outfall for illicit discharges. The City IDDE program includes visual inspection, field monitoring the water chemistry parameters, lab testing for water chemistry parameters and tracing and eliminating the illicit discharges. The outfall inspection protocol details the procedure used for the inspection and elimination of the illicit discharges and communication protocol to detail possible illicit discharge to responsible agencies.

In addition, the City has arrangements to receive citizens’ complaints through a hotline. Citizens are encouraged to call the hotline to report possible illicit discharges or illegal



disposal to the MS4. The details of the hotline are published on the City website. When such calls are received the City staff will attend to the issue, investigate possible illicit discharge, trace the source of it and eliminate it. For the reporting period there were no citizen calls regarding possible illicit discharge.

Public education is another component of the City IDDE program which targets educating citizens about minimizing and eliminate illicit discharges to the City MS4. The primary focus of the public education of the IDDE program includes, developing and distributing public education material such as brochures detailing types of illicit discharges and their impact on the receiving water quality and how that affects the beneficial uses of water. Also the City has a recycle material collection center to collect items that can be recycled such that the people don't dispose them at open space, such as paper, plastic, used motor oil and used cooking oil.

3.7. Spill Prevention and Response

The Bessemer Fire Department works in conjunction with the Jefferson County Emergency Management team to handle the spills that occur in the City limits. As part of the City SWMP, the spill response reports are collected on a routine basis to assess them for quantity and type of materials spilled. The City is preparing a GIS map of inlets that will be provided to the Bessemer Fire Department to identify the nearest stormwater inlet in which spill material may end up during an incident. This will help the response team to make appropriate containment arrangements to control the spill material entering into the stormwater inlet. There was 1 reported spill during the permit year.

Table 3-2: Spill Responses during the Permit Year

Date	Incident	Amount	Address
07/29/2022	Diesel fuel leak.	Unknown	6098 McAshan Drive

Throughout the year the City of Bessemer conducts different employee training activities that could impact local water quality, such as:



- Pesticide, fertilizer, herbicide application and disposal.
- Hazardous roadway spills management.
- Oil and shop chemical management

In addition to the training activities noted above the City also conducts additional training for Hazmat spills and cleanup. Since all spills have the potential to affect local water quality, this training is also important to our stormwater program.

3.8. Industrial and High Risk Runoff Program

The solid waste facility permit for the Raimund-Muscoda Inert Landfill (Permit No. 37-42) was effective January 10, 2016 and will expire on January 9, 2021. The City is currently providing ADEM with information to renew this permit. Copies of the permits are attached in Appendix G. Appendix H contains Bessemer Chert Pit, Raimund-Muscoda Inert Landfill, and Concord Landfill information such as ADEM inspections reports.

Regular inspections are conducted at the landfill sites for implemented BMPs. For example, the following items that are routinely checked at the landfill sites. Some of the items listed below are applicable only at certain times, such as during active construction.

- Construction Exit
- Barrier Class – Silt Fence
- Check Dams
- Diversion
- Grass Swale
- Inlet Protection
- Outlet Protection
- Sediment Basin
- Temporary Seeding
- Permanent Seeding
- Grounds keeping

One of the objectives of Industrial and High Risk Runoff program is to minimize the impacts of sanitary sewage seepage on water quality. Sanitary sewer overflows are primarily handled by the Jefferson County Environmental Services for areas served in the City of Bessemer. The City plans to develop a communication protocol to gather the information related to storm sewer flows and corrective actions from the Jefferson County Environmental Services Department.

As part of the City SWMP, the City has gathered industrial facilities that are permitted by ADEM and in the process of identifying all industrial facilities that could potentially discharge the pollutants into the City MS4 and receiving waters. The City's primary plan is to target the industries that fall under Standard Industrial Classification (SIC) categories.

The City has mandated that developers and contractors shall obtain permits for all land disturbance activities should obtain the permit prior to commencing work. This permit is required for all types of land disturbance activities including new construction, re-construction and any other maintenance activities that are associated with the land disturbances. They will not issue a permit until the site plan review has been performed and any deficiencies that were noted have been corrected. Bessemer has a site plan review process which includes examination of all pre- and post-construction runoff characteristics. Additionally, all site plans are evaluated for the proper use of temporary erosion control measures.

Bessemer requires site plan reviews on all sites regardless of size which means even sites that are not subject to the NPDES one-acre rule are examined for the proper implementation of erosion control methods. Therefore Bessemer has, to the maximum extent possible, implemented a thorough site plan review process to ensure erosion control is properly managed during and after construction. During the permit year, the City has issued 10 land disturbance permits and performed inspections at those sites. Appendix I include the list of permits issued.

The City also conducts the routine inspection of construction sites to check for their compliance with construction permit requirements. There was one enforcement action taken against a property owner for the permit year. In addition, the City also conducts the non-routine inspections as required. The City did not receive nor respond to any construction runoff related complaints. During the permit year, the City has responded to all complaints from citizen regarding possible construction permit violations.

As part of the City SWMP, the City has drafted Standard Operating Procedures (SOPs) to have consistency among the different activities of the City Construction Program. The planned documentation will provide standard operating procedures for construction site erosion control permit plan review, inspections, compliance and enforcement within the City of Bessemer. These procedures shall be followed by the plan reviewers, construction site inspectors and other inspectors assigned to review plans and inspect construction sites for compliance with required erosion and sedimentation control practices. This SOP will be reviewed and updated annually as necessary.

Another area of the City's construction program is to educate the construction site operators on best management of construction site runoff. The City is conducting workshops for the construction site operators in coordination with the City of



Birmingham and Jefferson County. As part of the City construction program, the City has drafted a construction fact sheet, which will educate the construction site operators on managing their construction runoff and available resources for their reference.

3.9. Public Education and Public Involvement

3.9.1. Public Education and Involvement

The City partnered with Jefferson County, Jefferson County Health department, Black Warrior River Clean Water Partnership, Freshwater Land Trust and Alabama Power Company to host the Annual Valley Creek Cleanup at McNeil Park (1931 13th Street North, Bessemer, Alabama).

The City partnered with Jefferson County to host a Hazardous Waste Collection Day. After COVID-19 restrictions were released, the City hosted 3 Lunch & Learn events.

3.9.2. Stormwater Website

A stormwater public information website has been updated that addresses basic information about the stormwater program and the following major topics:

- Activities around the home.
- Lawn care.
- Car washing.
- Pet waste.
- Stormwater Education



4. Summary of Proposed Changes

The City reviews its SWMP on annual basis to check for its compliance with the Permit and the program effectiveness for protecting the receiving water quality. The City primarily uses the monitored water quality to assess the program effectiveness and to identify priority areas for program concentration. Based on available data and reviewing the existing Permit requirements, the City will continue to implement the following in the future:

1. Co-ordinate with neighboring cities for water quality monitoring
2. Co-ordinate and involve all the City departments.
3. Complete the outfall reconnaissance inventory.
4. Identify and modify existing measurable goals for the SWMP elements.



5. Fiscal Analysis

5.1. Fiscal Analysis

5.1.1. Past Fiscal Year

The City's 2022 budget was based on the cost of implementing the MS4 Stormwater Program. This cost includes: funding for monitoring and screening, public education and involvement, various sponsorships, association membership fees, hazardous waste disposal and salaries. Appendix K provides a complete list of the employees involved in the MS4 Stormwater Program.



6. Program Summary Table

PROGRAM ELEMENT	BMP Activity	ACTIVITY SCHEDULE			COMMENTS
		Prescribed SWMP Activities	Complied With	Activities Accomplished	
(1) Monitoring	Dry Weather Outfall Reconnaissance	100% system per permit cycle	YES	<ul style="list-style-type: none"> Outfalls were screened 	Shades (10 total) and Valley Creek (3 Total)
	Dry Weather Monitoring	Instream Monitoring	YES	<ul style="list-style-type: none"> Quarterly monitoring at 4 sites 	Samples collected all 4 quarters.
	Wet Weather Monitoring	Instream Monitoring	YES	<ul style="list-style-type: none"> Quarterly monitoring at 4 sites 	Samples collected all 4 quarters.
(2) Structural Controls	Structural Controls Maintenance and/or inspection activities of existing controls	Maintenance and inspection activities of existing controls	YES	<ul style="list-style-type: none"> 3,200 total storm drains inspected and cleaned. 2,000 feet of storm sewer flushed. Repaired 950 catch basins or lid reset. 	
(3) Areas of New Development / Redevelopment	Limit increases and/or reduce discharge of pollutants in storm water	Zoning and Development Regulations	YES	<ul style="list-style-type: none"> All sites subject to NPDES regulations were inspected at completion. 	



PROGRAM ELEMENT	BMP Activity	ACTIVITY SCHEDULE			COMMENTS
		Prescribed SWMP Activities	Completed With	Activities Accomplished	
(4) Roadway Maintenance	Maintenance	Street Sweeping	YES	<ul style="list-style-type: none"> 7,250 miles swept. 9,120 yards of debris and dust collected. 	
(5) Flood Control Projects	Evaluate Existing Flood Control Projects	Evaluate Flood Control Projects for Retro-Fitting to Improve water quality	YES	<ul style="list-style-type: none"> Army Corps of Engineers approved 2 detention pond flood project. Awaiting funding. 	
(6) Pesticide, Herbicide, and Fertilizer Application	Implement controls to reduce the discharge of pollutants from storage and application	Training	YES	<ul style="list-style-type: none"> Public Works staff trained on chemical handling and application. 	
(7) Illicit Discharges	<ul style="list-style-type: none"> Illicit Discharges Investigations Enforcement actions Spill response activities Illicit Discharges 	Public Hotline	YES	<ul style="list-style-type: none"> Hotline working. 	
		Investigations	YES	<ul style="list-style-type: none"> Outfalls were inspected 	All outfalls screened showed no signs of Illicit discharge
(8) Spill Prevention and Response	Prevent, contain and respond to spills	Spill Response	YES	<ul style="list-style-type: none"> 1 spill was reported during this permit year. Selected City staff was trained on 	



PROGRAM ELEMENT	BMP Activity	ACTIVITY SCHEDULE			COMMENTS
		Prescribed SWMP Activities	Complied With	Activities Accomplished	
				proper HAZMAT containment and cleanup.	
(9) Industrial and High Risk Runoff	Identify and control pollutants in storm water discharges	Identify NPDES permitted facilities	YES	<ul style="list-style-type: none"> Landfill Sites were inspected. 	
(10) Municipal WWTP	Identify and control pollutants in storm water discharges	Inspection	YES		Sanitary Sewer issues are primarily handled by the Jefferson County Environmental Services for areas served by Jefferson County and by for areas served by the City of Bessemer.
(10) Construction	Inspections	Inspection	YES	<ul style="list-style-type: none"> Inspected 10 sites. 	



PROGRAM ELEMENT	BMP Activity	ACTIVITY SCHEDULE			COMMENTS
		Prescribed SWMP Activities	Complied With	Activities Accomplished	
(11) Education	<p>Promote, publicize and facilitate</p> <ul style="list-style-type: none"> • Reporting illicit discharges and improper disposal • Management and disposal of used oil and household hazardous waste • Proper use, application and disposal of pesticides, herbicides, and fertilizers 	<ul style="list-style-type: none"> • Public Education • Public Involvement 	YES	<ul style="list-style-type: none"> • Stormwater page on the City's Website. • Participated in Valley Creek Cleanup. • Distributed educational materials. • Held a Hazardous Waste Collection Day for Bessemer and Jefferson County citizens. 	

